

ZAUGG

MASTERS OF SNOW



Rolba 500

**EVERY SNOW.
EVERY APPLICATION.**

ZAUGG AG. Expertise, quality and patented solutions.

Rolba 500

The Rolba 500 is unique in terms of its dimensions and performance. The self-propelled snow blower is equipped with a diesel engine that complies with the current EU Stage V standards. It is conveniently operated using a built-in joystick and display. Front, rear, all-wheel, and crab steering enable snow removal in tight spaces. The machine can be equipped with various options and there are different cutting widths to choose from. In addition to direct discharge, various chimneys and a telescopic chimney are also available. The Rolba 500 can be prepared for alternative uses, for example with an extension mower, making it ideal for use during the summer months.

Technical Data


Rolba 500 with two-stage ZAUGG snow blower

Clearing capacity	1'800 t/h
Clearing widths	1'800 / 2'000 / 2'500 mm
Clearing height in one pass	1'300 mm
Casting distance	up to 40 m
Turning radius	4 - 8 m
Clearing speed	0.15 - 40 km/h
Engine output	170 kW / 231 hp
Fuel tank	150 liter
Total weight	8'000 kg



Rolba 500 with boom mower

Attachment plate type	VSS-A / F1
Maximum output at the PTO stub	75 kW
Direction of rotation of PTO (shaft viewed from the front of the stub)	left (counterclockwise)
Speeds at PTO shaft	540 U/min @ 1'350 U/min 750 U/min @ 1'876 U/min
PTO shaft profile	ZWP 13/4" - 6-piece set according DIN9611



Rolba 500



Dimensions Rolba 500

Value

Overall length	5'450 mm
Wheelbase	2'000 mm
Total width (incl. mirrors)	2'000 mm
Vehicle width	1'650 mm
Vehicle height	3'000 mm



ZAUGG AG, Holzmatt 651b, CH-3537 Eggwil
Tel. +41 491 81 11 | sales@zaugg.swiss | www.zaugg.swiss

DYNAMICS & STABILITY.
ZAUGG convinced.
Since 1893.

The Swiss original from the Emmental region.

